



## GREEN PYRETHRUM

Codice prodotto: 2770550

Category: PFnPE

Emulsifiable concentrated liquid insecticide based on natural Pyrethrum

**Italian Ministry of Health Registration:**

PFnPE Reg. n. 8558

**Formula:**

Pure pyrethrins (Pyrethrum)

**Description:**

**GREEN PYRETHRUM** is an insecticide based only on natural Pyrethrum in a liquid medium of plant origin and can be used on many agricultural crops in any season.

**GREEN PYRETHRUM** is a contact insecticide that acts quickly against various pests in horticulture, fruit and flower production.

**GREEN PYRETHRUM** is compatible with foliar fertilisers. Cannot be mixed with Bordeaux mixture.

**Method of use:**

**GREEN PYRETHRUM** Dilute in water before use. Treatments should be carried out at the first appearance of the pests, preferably in the evening and during the cooler hours of the day.

The following doses are per 100 litres of water.

- CITRUS FRUIT (orange, lemon, mandarin) – against aphids, Whitefly (Aleyrodidae): ml 140-160.
- STONE FRUIT (peaches, plums, cherries, apricots) – against Aphids (*Myzus persicae*), spotted wing drosophila (*Drosophila suzukii*): ml 140-160.
- VINE (wine grapes and table grapes) – against vine moth (*Clytia ambigua*), grapevine moth (*Lobesia botrana*), leafhoppers (*Scaphoideus titanus*, *Empoasca vitis*): ml 140-160.
- STRAWBERRY – against thrips, spotted wing drosophila (*Drosophila suzukii*): ml 140-160.
- SOFT FRUITS (raspberry, blueberry, blackberry, currant) – against spotted wing drosophila (*Drosophila suzukii*): ml 140-160.

LEAFY VEGETABLES, FRESH HERBS AND EDIBLE FLOWERS\*.



- against aphids: ml 140-160.
- TOMATO, PEPPER, AUBERGINE – against whitefly (Aleyrodidae), thrips: ml 140-160.
- CUCURBITS (Squash and Melon) – against aphids: ml 140-160.
- FLORAL AND ORNAMENTAL (open field) – against aphids, thrips, whitefly (Aleyrodidae): 140-160 ml.

\*Lettuce and salads (Dolcetta/valerianella/gallinella, lettuce, scarole/broad-leaf endive, cress and other sprouts and buds, barbarea, rocket, juncea mustard, baby leaf products (including brassicaceae), spinach leaves and similar (spinach, portulaca, chard and silver beet), vine leaves and similar species, watercress, witloof/Belgian chicory, fresh herbs and edible flowers (chervil, chives, celery leaves, parsley, sage, rosemary, thyme, basil, etc.), Fresh herbs and edible flowers (bay leaves, tarragon, others).

Use appropriate volumes of water and pressure to achieve good crop coverage. Particular attention should be paid to the underside of the leaves in the case of Aleyrodidae (whitefly) and thrips.

Suspend treatments:

- 1 day before harvest for citrus fruits, vines, leafy vegetables, fresh herbs and edible flowers, tomatoes, peppers, eggplants, gourd family
- 2 days before harvest for strawberries and soft fruits
- 7 days before harvest for stone fruit.

**User:**

Domestic

**Warnings:**

Use only for the purposes and under the conditions stated on the label. The user of the product is responsible for any damage caused by improper use of the preparation. The respect of all the indications contained in the label is essential for assuring the effectiveness of the treatment and to avoid harm to plants, people and animals. Do not apply by aerial means. To avoid risks to humans and the environment, follow the directions for use. Use only in the absence of wind. Not to be sold loose. The container cannot be reused. Handle with care.

**Unit of sales:**

500 ml bottle  
200 ml pouch  
50 ml pouch

**Notes:**

Use the plant protection products with caution. Always read the label and product information before use. Attention is drawn to the hazard warnings and symbols on the label.